



Sales Office:

Room 8H, Luhua Building, Guangxia Road, Shangmeilin,
Futian District, Shenzhen, China 518049

Factory Add1.:

Building 30, Tongfucun Ind. Park, Shiao Village, Dalang,
Longhua District, Shenzhen, China.

Factory Add2.:

Building B, Xilaiju Industrial Park, 2th East Ring Road,
Longhua district, Shenzhen, China

Tel: +86-755- 8311 9966

Mob: +86-135 1082 7543

Mob: +86-136 0040 0630

Fax: +86-755-8311 9980

Skype: cinda-cc2005
cerropower

Q Q: 1791526067

Contact Person : Cinda / Leslie

E-mail: sales@cerropower.com

http: www.cerropower.com



SHENZHEN CERRO POWER COMPANY LTD

www.cerropower.com



COMPANY PROFILE

SHENZHEN CERROPOWER CO., LTD established in 2005. We are high technology enterprise which specialized in researching, producing, exporting green environmental friendly batteries. Products are **NI-MH battery, Li-Polymer, Lithium Ion battery, Li-Fe rechargeable battery**. Our batteries apply for POS machine, Tablet PC, MID, Remote control toys, walkie-talkie, Power bank, Portable Equipment, Air Plane model, Mobile phone battery.

There are 20,000㎡ on workshop with daily production 400,000 CELLS. We have independent research center, provide whole set battery testing equipment, which is physical performance, chemical performance, electrochemistry performance and battery application performance testing. Research center successively set up the long term scientific study cooperation relation with Haerbin Industry University, Shanghai Metallurgy Institute. we have undertaken and finished many scientific plan projects. Our Company has fully automatically anode and cathode produce line and unique formation craft. Product construction including high capacity, low-self-discharge, high rate discharge, High temperature and Low Temperature battery series.

Our Company Audit ISO9001:2000, and all the products comply with CE, UL , RoHS, SGS, REACH. We also buy the product Liability Insurance for all the products, and have become the OEM/ODM cooperation partner of many abroad and domestic famous enterprises.

We are always stick on "honest, efficiency, excellent, creative" enterprise spirit. Let us work for you, and provide you our best service, and developing together!

PRODUCTION LINE AND WORKSHOP

Safety test: by UL standard covering battery thermal shock, inside and outside short circuit, burning, extrusion, vibration, overcharge, high/low temp. cycling, high temp. & wet test etc.



Contents

01-05>

Li-ion
Li-Polymer Battery



06-08>

Ni-MH
Battery



09>

Button Cell



10-24>

Power
Bank






CERRO
POWER

MID, XPAD Battery

It has the characteristics of long cycle life ,
long work time and high discharge
voltage platform etc.



Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (T-0.3 * W-0.5 * H-0.5mm)
CP-4842125PL	3.7	2700	4.8 * 42 * 125
CP-455585PL	3.7	2250	4.5 * 55 * 85
CP-904351PL	3.7	2100	9.0 * 43 * 51
CP-704261PL	3.7	1900	7.0 * 42 * 61
CP-407485PL	3.7	2700	4.0 * 74 * 85
CP-754382PL	3.7	2850	7.5 * 43 * 82
CP-884765PL	3.7	2900	8.8 * 47 * 65
CP-7036120PL	3.7	3300	7.0 * 36 * 120
CP-7035135PL	3.7	3600	7.0 * 35 * 135
CP-4050158PL	3.7	3400	4.0 * 50 * 158
CP-925368PL	3.7	3600	9.2 * 53 * 68
CP-955385PL	3.7	4700	9.5 * 53 * 85
CP-5265138PL	3.7	5100	5.2 * 65 * 138
CP-8040160PL	3.7	5600	8.0 * 40 * 160
CP-8073134PL	3.7	8550	8.0 * 73 * 134
CP-1068150PL	3.7	11200	10 * 68 * 150
CP-80103122PL	3.7	11000	8.0 * 103 * 122
CP-8098140PL	3.7	12000	8.0 * 98 * 140

POS Machine Battery

Used for all commercial banks, local credit unions,
the banking system, POS, Scanner, printer and
other equipment.





Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (T-0.3 * W-0.5 * H-0.5mm)
CP-803048PL	3.7	1200	8.0 * 30 * 48
CP-523449PL	3.7	930	5.2 * 34 * 49
CP-573452PL	3.7	1100	5.7 * 34 * 52
CP-603560PL	3.7	1300	6.0 * 35 * 60
CP-754061PL	3.7	1950	7.5 * 40 * 61
CP-607028PL	3.7	1350	6.0 * 70 * 28
CP-803448PL	3.7	1400	8.0 * 34 * 48
CP-503560PL	3.7	1900	5.0 * 35 * 60
CP-603080PL	3.7	1500	6.0 * 30 * 80
CP-703560PL	3.7	1550	7.0 * 35 * 60
CP-405165PL	3.7	1400	4.0 * 51 * 65
CP-485367PL	3.7	1800	4.8 * 53 * 67
CP-704458PL	3.7	1900	7.0 * 44 * 58
CP-103450PL	3.7	1850	10 * 34 * 50
CP-683496PL	3.7	2400	6.8 * 34 * 96
CP-803080PL	3.7	2050	8.0 * 30 * 80
CP-904762PL	3.7	2800	9.0 * 47 * 62
CP-113450PL	3.7	2000	11 * 34 * 50
CP-654267PL	3.7	1950	6.5 * 42 * 67
CP-963450PL	3.7	1750	9.6 * 34 * 50
CP-123450PL	3.7	2200	12 * 34 * 50
CP-4842125PL	3.7	2700	4.8 * 42 * 125
CP-455585PL	3.7	2250	4.5 * 55 * 85
CP-904351PL	3.7	2100	9.0 * 43 * 51
CP-704261PL	3.7	1900	7.0 * 42 * 61
CP-407485PL	3.7	2700	4.0 * 74 * 85
CP-655555PL	3.7	2150	6.5 * 55 * 55
CP-555085PL	3.7	2500	5.5 * 50 * 85



CERRO
POWER

Lighting Battery

Widely used in the emergency lighting, miner's lamp, torch, solar lighting, LED lighting etc, this serial battery have the characters of long working time, very safety etc.



Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (T-0.3 * W-0.5 * H-0.5mm)
CP-803048PL	3.7	1200	8.0 * 30 * 48
CP-523449PL	3.7	930	5.2 * 34 * 49
CP-603560PL	3.7	1300	6.0 * 35 * 60
CP-573452PL	3.7	1100	5.7 * 34 * 52
CP-754061PL	3.7	1950	7.5 * 40 * 61
CP-607028PL	3.7	1350	6.0 * 70 * 28
CP-803448PL	3.7	1400	8.0 * 34 * 48
CP-503560PL	3.7	1900	5.0 * 35 * 60
CP-703560PL	3.7	1550	7.0 * 35 * 60
CP-603080PL	3.7	1500	6.0 * 30 * 80
CP-405165PL	3.7	1400	4.0 * 51 * 65
CP-704458PL	3.7	1900	7.0 * 44 * 58
CP-485367PL	3.7	1800	4.8 * 53 * 67
CP-103450PL	3.7	1850	10 * 34 * 50
CP-683496PL	3.7	2400	6.8 * 34 * 96
CP-113450PL	3.7	2000	11 * 34 * 50
CP-803080PL	3.7	2050	8.0 * 30 * 80
CP-904762PL	3.7	2800	9.0 * 47 * 62
CP-963450PL	3.7	1750	9.6 * 34 * 50
CP-654267PL	3.7	1950	6.5 * 42 * 67
CP-123450PL	3.7	2200	12 * 34 * 50
CP-455585PL	3.7	2250	4.5 * 55 * 85
CP-904351PL	3.7	2150	9.0 * 43 * 51
CP-704261PL	3.7	1900	7.0 * 42 * 61
CP-407485PL	3.7	2700	4.0 * 74 * 85
CP-655555PL	3.7	2150	6.5 * 55 * 55
CP-555085PL	3.7	2500	5.5 * 50 * 85

Communication Battery


Used in the walkie-talkie, wireless local loop, mobile phone etc, it have the high capacity, long life recycle, discharge platform high, and the model can be modify according the customer demands.



Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (T-0.3 * W-0.5 * H-0.5mm)
CP-604172PL	3.7	1900	6.0 * 41 * 72
CP-455585PL	3.7	2250	4.5 * 55 * 85
CP-904351PL	3.7	2150	9.0 * 43 * 51
CP-525467PL	3.7	2050	5.2 * 54 * 67
CP-485374PL	3.7	2050	4.8 * 53 * 74
CP-407485PL	3.7	2700	4.0 * 74 * 85
CP-5530160PL	3.7	2850	5.5 * 30 * 160
CP-655555PL	3.7	2150	6.5 * 55 * 55
CP-505374PL	3.7	2100	5.0 * 53 * 74
CP-964353PL	3.7	2400	9.6 * 43 * 53
CP-685374PL	3.7	2900	6.8 * 53 * 74
CP-6560106PL	3.7	4500	6.5 * 60 * 106
CP-985374PL	3.7	4200	9.8 * 53 * 74
CP-1005374PL	3.7	4300	10.0 * 53 * 74
CP-8073134PL	3.7	8550	8.0 * 73 * 134
CP-1068150PL	3.7	11200	10 * 68 * 150
CP-80103122PL	3.7	11000	8.0 * 103 * 122



CERRO
POWER



Electric Bicycle, Electric Vehicle Battery

This product can be divided by materials into three systems: Li-MnO₂; NCM(Nickel, Co, Mn) & Li-FePO₄. For Li-FePO₄ system, we have full series of finished battery packs and modules from 12V-500V / 3Ah-500Ah).



CP-Model	Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (Φ-0.7 * H-1.0mm)
CP-ICR18650	18650	3.2	1100	Φ 18 * 65.0
CP-ICR22430	22430	3.2	1300	Φ 22 * 43.0
CP-ICR18650	18650	3.2	1400	Φ 18 * 65.0
CP-ICR22430	22430	3.2	1600	Φ 22 * 43.0
CP-ICR25500	25500	3.2	1600	Φ 25 * 50.0
CP-ICR26500	26500	3.2	1700	Φ 26 * 50.0
CP-ICR25500	25500	3.2	2300	Φ 25 * 50.0
CP-ICR32600	32600	3.2	2700	Φ 32 * 60.0
CP-ICR26650	26650	3.2	3000	Φ 26 * 65.0
CP-ICR32600	32600	3.2	3500	Φ 32 * 60.0
CP-ICR32650	32650	3.2	4500	Φ 32 * 65.0
CP-5399130M	5399130M	3.7	5000	5.3 * 99 * 130
CP-5399130F	5399130F	3.7	5000	5.3 * 99 * 130
CP-7268180F	7268180F	3.7	6000	7.2 * 68 * 180
CP-58150150M	58150150M	3.7	10000	5.8 * 150 * 150
CP-7268278M	7268278M	3.7	10000	7.2 * 68 * 278
CP-58150150F	58150150F	3.7	10000	5.8 * 150 * 150
CP-7268278F	7268278F	3.7	10000	7.2 * 68 * 278
CP-62145146M	72145146M	3.7	12000	7.2 * 145 * 146
CP-13145146M	13145146M	3.7	20000	13 * 145 * 146

Ni-MH high capacity consumer Battery

Ni-MH High capacity consumer battery was widely used in our life: remote controller, torch, camera, portable equipment, toys, and stationery..., its high capacity is helpful and convenience for our life and job.




Standard	Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (Φ-0.7 * H-1.0mm)
AAA	CP-AAAJ800	1.2	800	Φ 10.5 * 44.5
AAA	CP-AAAJ900	1.2	900	Φ 10.5 * 44.5
AAA	CP-AAAJ1000	1.2	1000	Φ 10.5 * 44.5
AAA	CP-AAAJ1100	1.2	1100	Φ 10.5 * 44.5
AA	CP-AAJ1600	1.2	1600	Φ 14.5 * 50.5
AA	CP-AAJ1800	1.2	1800	Φ 14.5 * 50.5
AA	CP-AAJ2000	1.2	2000	Φ 14.5 * 50.5
AA	CP-AAJ2000R	1.2	2000	Φ 14.5 * 50.5
AA	CP-AAJ2100	1.2	2100	Φ 14.5 * 50.5
AA	CP-AAJ2200	1.2	2200	Φ 14.5 * 50.5
AA	CP-AAJ2300	1.2	2300	Φ 14.5 * 50.5
AA	CP-AAJ2400	1.2	2400	Φ 14.5 * 50.5
AA	CP-AAJ2500	1.2	2500	Φ 14.5 * 50.5
AA	CP-AAJ2700	1.2	2700	Φ 14.5 * 50.5
C	CP-CJ3500	1.2	3500	Φ 26.0 * 50.0
C	CP-CJ3800	1.2	3800	Φ 26.0 * 50.0
C	CP-CJ4000	1.2	4000	Φ 26.0 * 50.0
C	CP-CJ5000	1.2	5000	Φ 26.0 * 50.0
D	CP-DJ7500	1.2	7500	Φ 33.0 * 60.5
D	CP-DJ8000	1.2	8000	Φ 33.0 * 60.5
D	CP-DJ8500	1.2	8500	Φ 33.0 * 60.0
D	CP-DJ9000	1.2	9000	Φ 33.0 * 60.5
D	CP-DJ10000	1.2	10000	Φ 33.0 * 60.5
6F-22	CP-9.6V 140	9.6	140	26.5 * 16.8 * 48.5
6F-22	CP-9.6V 160	9.6	160	26.5 * 16.8 * 48.5
6F-22	CP-9.6V 180	9.6	180	26.5 * 16.8 * 48.5
6F-22	CP-9.6V 200	9.6	200	26.5 * 16.8 * 48.5
6F-22	CP-9V 160	8.4	160	26.5 * 16.8 * 48.5
6F-22	CP-9V 180	8.4	180	26.5 * 16.8 * 48.5
6F-22	CP-9V 200	8.4	200	26.5 * 16.8 * 48.5
6F-22	CP-9V 250	8.4	250	26.5 * 16.8 * 48.5
6F-22	CP-9V 280	8.4	280	26.5 * 16.8 * 48.5
6F-22	CP-9V 300	8.4	300	26.5 * 16.8 * 48.5



CERRO
POWER

Ni-MH Ready to use Battery (Low self-discharge battery)

Ready to use battery, it will still have over 85% capacity after 1 year storage and over 70% capacity after 2 years.



Standard	Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (Φ-0.7 * H-1.0mm)
AAA	CP-RTUAAA300	1.2	300	Φ 10.5 * 43.0
AAA	CP-RTUAAA600	1.2	600	Φ 10.5 * 43.0
AAA	CP-RTUAAA700	1.2	700	Φ 10.5 * 44.0
AAA	CP-RTUAAA850	1.2	850	Φ 10.5 * 44.0
AAA	CP-RTUAAA900	1.2	900	Φ 10.5 * 44.0
AAA	CP-RTUAAA950	1.2	950	Φ 10.5 * 67.0
AA	CP-RTUAA600	1.2	600	Φ 14.5 * 49.0
AA	CP-RTUAA800	1.2	800	Φ 14.5 * 49.0
AA	CP-RTUAA1000	1.2	1000	Φ 14.5 * 49.0
AA	CP-RTUAA1300	1.2	1300	Φ 14.5 * 49.0
AA	CP-RTUAA1400	1.2	1400	Φ 14.5 * 49.0
AA	CP-RTUAA1600	1.2	1600	Φ 14.5 * 49.0
AA	CP-RTUAA1800	1.2	1800	Φ 14.5 * 49.0
AA	CP-RTUAA1900	1.2	1900	Φ 14.5 * 50.0
AA	CP-RTUAA2000	1.2	2000	Φ 14.5 * 49.5
AA	CP-RTUAA2100	1.2	2100	Φ 14.5 * 50.0
AA	CP-RTUAA2200	1.2	2200	Φ 14.5 * 50.5
C	CP-RTUC3000	1.2	3000	Φ 26.0 * 49.0
C	CP-RTUC3500	1.2	3500	Φ 26.0 * 49.0
C	CP-RTUC4000	1.2	4000	Φ 26.0 * 49.0
D	CP-RTUD4000	1.2	4000	Φ 33.0 * 60.0
D	CP-DRTU6000	1.2	6000	Φ 33.0 * 60.5
9V	CP-RTU9V200	8.4	200	26.5 * 16.8 * 48.5
9V	CP-RTU9V220	8.4	220	26.5 * 16.8 * 48.5
9V	CP-RTU9V250	8.4	250	26.5 * 16.8 * 48.5
9V	CP-RTU9V280	8.4	280	26.5 * 16.8 * 48.5

Ni-MH High drain small home appliance Battery

These series are specially producing for portable intelligent cleaner, vacuum cleaner, sweepers and so on which usually apply battery pack with some units of cells in series connection. Besides of meeting 5-10A discharge current, for single cells , Strict control consistency.



Standard	Model	Normal Voltage (v)	Normal Capacity (mAh)	Size (Φ-0.7 * H-1.0mm)
AAA	CP-28AAA350	1.2	350	Φ 10.5 * 29.0
AAA	CP-4/5AAA500	1.2	500	Φ 10.5 * 38.0
AAA	CP-AAA800	1.2	800	Φ 10.5 * 43.0
AAA	CP-AAA900	1.2	900	Φ 10.5 * 43.0
AAA	CP-5/4AAA700	1.2	700	Φ 10.5 * 50.0
AAA	CP-5/3AAA1000	1.2	1000	Φ 10.5 * 67.0
AA	CP-40AA1100	1.2	1100	Φ 14.5 * 43.0
AA	CP-4/5AA1600	1.2	1600	Φ 14.5 * 43.0
AA	CP-AA2200	1.2	2200	Φ 14.5 * 50.5
A	CP-2/3A1200	1.2	1200	Φ 17.0 * 29.0
A	CP-A2800	1.2	2800	Φ 17.0 * 50.0
A	CP-4/5A2000	1.2	2000	Φ 17.0 * 43.0
A	CP-4/3A3200	1.2	3200	Φ 17.0 * 67.0
A	CP-4/3A3600	1.2	3600	Φ 17.0 * 67.0
A	CP-4/3A3800	1.2	3800	Φ 17.0 * 67.0
A	CP-7/5A3500	1.2	3500	Φ 17.0 * 66.5
A	CP-7/5A3600	1.2	3600	Φ 17.0 * 66.5
65A	CP-65A-3200	1.2	3200	Φ 18.2 * 65.0
67A	CP-67A-4200	1.2	4200	Φ 18.2 * 67.0
67A	CP-67A-4500	1.2	4500	Φ 18.2 * 67.0
67A	CP-67A-4200 LSD	1.2	4200	Φ 18.2 * 67.0
SC	CP-4/5SC2100	1.2	2100	Φ 23.0 * 33.0
SC	CP-SC1800	1.2	1800	Φ 23.0 * 43.0
SC	CP-SC2500	1.2	2500	Φ 23.0 * 43.0
SC	CP-SC3000	1.2	3000	Φ 23.0 * 43.0
SC	CP-SC3600	1.2	3600	Φ 23.0 * 43.0
SC	CP-5/4SC3300	1.2	3300	Φ 23.0 * 50.0
SC	CP-5/4SC3500	1.2	3500	Φ 23.0 * 50.0
C	CP-C4000	1.2	4000	Φ 26.0 * 49.0
C	CP-C4500	1.2	4500	Φ 26.0 * 49.0
D	CP-D7000	1.2	7000	Φ 33.0 * 60.0
D	CP-D8500	1.2	8500	Φ 33.0 * 60.5
D	CP-D9000	1.2	9000	Φ 33.0 * 60.0
F	CP-F12000	1.2	12000	Φ 33.0 * 89.0
F	CP-F13500	1.2	13500	Φ 33.0 * 89.0



CERRO
POWER

Button cell

Button cell was widely used for wristwatch, cameras, smoke alarms, computer peripherals, memory backup, lighting and communication equipments.

We offer you a series of high quality button cell including: LiMnO₂ Series (3.0V), Lithium series (3.7V), alkaline series (1.5V)...



Model	Normal Voltage (v)	Normal Capacity (mAh)	Dimensions D*H (mm)	Standard Current (mA)	High Drain Continuous (mA)	High Drain Pulse (mA)	Weight(g)
CR1025	3.0	30	Φ10 * 2.5	0.1	0.2	5	0.9
CR1216	3.0	25	Φ12.5 * 1.6	0.1	0.2	5	0.7
CR1220	3.0	38	Φ12.5 * 2.0	0.1	0.2	5	0.9
CR1225	3.0	50	Φ12.5 * 2.5	0.1	0.2	5	1.0
CR1616	3.0	50	Φ16 * 1.6	0.1	0.3	8	1.2
CR1620	3.0	70	Φ16 * 2.0	0.1	0.3	8	1.3
CR2016	3.0	75	Φ20 * 1.6	0.1	0.3	10	1.8
CR2025	3.0	150	Φ20 * 2.5	0.2	0.5	15	2.2
CR2032	3.0	210	Φ20 * 3.2	0.2	0.5	15	2.8
CR2320	3.0	130	Φ23 * 2.0	0.2	0.5	15	3.0
CR2330	3.0	260	Φ23 * 3.0	0.2	0.5	15	4.0
CR2430	3.0	270	Φ24 * 3.0	0.2	1.0	15	4.2
CR2450	3.0	600	Φ24 * 5.0	0.2	1.0	15	6.2
CR2477	3.0	1200	Φ24.5 * 7.7	0.4	2.0	10	8.2
CR2	3.0	750	Φ15.5 * 27	20	500	1000	13.0
CR123A	3.0	1300	Φ17 * 33.5	20	1000	2000	20.0
LIR0732	3.7	6.5	Φ7.85 * 3.4				0.5
LIR0750	3.7	11	Φ7.85 * 5.3				0.8
LIR0927	3.7	7	Φ9.5 * 2.9				1.0
LIR1130	3.7	13	Φ11.6 * 3.2				1.2
LIR1220	3.7	13	Φ12.5 * 2.2				1.2
LIR1620	3.7	15	Φ16 * 2.3				1.4
LIR2016	3.7	20	Φ20 * 1.9				1.7
LIR2025	3.7	45	Φ20 * 2.8				2.5
LIR2032	3.7	50	Φ20 * 3.4				3.2
LIR2430	3.7	80	Φ24.5 * 3.3				4.7
LIR2450	3.7	150	Φ24.5 * 5.3				6.5
LIR2477	3.7	240	Φ24.5 * 8.0				8.0
LIR3032	3.7	150	Φ30.5 * 3.4				7.5
LIR3048	3.7	240	Φ30.5 * 5.0				8.5

Power Bank

ITEM: CP-2602

Capacity: 2600mAh
Input: DC 5V / 500mA
Output: DC 5V / 1000mA
Size: 25 * 25 * 91mm
Weight: 75g
Available colour: Black / White / Pink / Orange
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS





CERRO
POWER



Power Bank

ITEM: CP-1800SL

With Solar Panel
Capacity: 1800mAh
DC input: 5V/500mA
Solar input: 5V/250mA
Output: 5V/500mA
Size: 105*53*12.5mm
Weight: 98g
Available colour: White / Orange
RoHS CE FCC

APPLICATION:

Used for Mobile phone, I phone...




I phone



Mobile phone

Solar Power



Power Bank

ITEM: CP-3000SL

With Solar Panel
Capacity: 3000mAh
DC input: 5V / 1000mA
Solar input: 5V / 300mA
Output: DC 5V / 1000mA
Size: 115 * 58.5 * 11mm
Weight: 128g
Available colour: Black / White
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4




Mobile phone



GPS

Solar Power





CERRO
POWER

Power Bank



ITEM: CP-3002

Capacity: 3000mAh
Input: DC 5V / 500mA
Output: DC 5V / 1000mA
Size: 90 * 60 * 12.3mm
Weight: 148g
Available colour: Black / White
RoHS / CE / FCC

APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS

Power Bank



ITEM: CP-5006

Capacity: 5000mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA
Size: 115 * 65 * 12mm
Weight: 158g
Available colour: Black / White
RoHS / CE / FCC

APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS





CERRO
POWER



ITEM: CP-5002

Capacity: 5000mAh
Input: DC 5V / 800mA
Output: DC 5V / 1000mA
Size: 104 * 57 * 14mm
Weight: 160g
Available colour: Black / White / Pink / Green / Blue
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS



Power Bank

ITEM: CP-5206-WIFI

With WIFI
Capacity: 5200mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA * 2
Size: 80 * 85 * 28mm
Weight: 160g
Available colour: Black / White / Pink / Orange
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS



Internet to WIFI



CERRO
POWER



Power Bank

ITEM: CP-6000

Capacity: 6000mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA
Size: 95 * 76 * 17mm
Weight: 170g
Available colour: Black / White / Blue
RoHS / CE / FCC

APPLICATION:

Used for Mobile phone, I phone, I Pad, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Mobile phone



GPS



Power Bank

ITEM: CP-7800

Capacity: 7800mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA
Size: 78 * 78 * 24mm
Weight: 210g
Available colour: Black / White
RoHS / CE / FCC

APPLICATION:

Used for Mobile phone, I phone, I Pad, MID, Tablet PC, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Tablet PC



GPS



Mobile phone



CERRO
POWER



Power Bank

ITEM: CP-8002

Capacity: 8000mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA
Size: 115 * 64 * 22mm
Weight: 200g
Available colour: White / Pink / Orange / Blue
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MID, Tablet PC, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Tablet PC



GPS



Mobile phone



Power Bank

ITEM: CP-10400

Capacity: 10400mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000mA
Size: 92 * 78 * 24mm
Weight: 260g
Available colour: Black / White
RoHS / CE / FCC



APPLICATION:

Used for Mobile phone, I phone, I Pad, MID, Tablet PC, MP3, MP4, GPS...



I Pad



I phone



MP3/MP4



Tablet PC



GPS



Mobile phone



Power Bank



Power Bank

Capacity: 11200mAh
Input: DC 5V / 1000mA
Output: DC 5V / 1000 / 2100mA
Size: 117 * 77 * 24mm
Weight: 255g
Available colour: Black / White
RoHS / CE / FCC

Used for Mobile phone, I phone, I Pad, MID, Tablet PC, MP3, MP4, GPS...



Mobile phone

With LED Torch
Capacity: 2600mAh
Input: DC 5V / 700mA
Output: DC 5V / 1000mA
Size: 150 * 26 * 26mm
Weight: 138g
Available colour: Black / Grey
RoHS / CE / FCC



Used for Mobile phone, I phone, I Pad, MID, Tablet PC ...



Mobile phone



CERRO
POWER

ITEM: CP-2200-IP5

Capacity: 2200mAh
Input: DC 5V / 800mA
Output: DC 5V / 500mA
Size: 136 * 61 * 14mm
Weight: 68g
Available colour: Black / White / Yellow / Red
RoHS / CE / FCC



ITEM: CP-2800-IP5

Capacity: 2800mAh
Input: DC 5V / 1350mA
Output: DC 5V / 1000mA
Size: 134 * 64 * 16mm
Weight: 76g
Available colour: Black / White / Yellow / Red
RoHS / CE / FCC



ITEM: CP-2200-Samsung i9300

Capacity: 2200mAh
Input: DC 5V / 500mA
Output: DC 5V / 500mA
Size: 147 * 73 * 15.5mm
Weight: 82g
Available colour: Black / White / Orange
RoHS / CE / FCC



ITEM: CP-1800-Samsung9100

Capacity: 1800mAh
Input: DC 5V / 500mA
Output: DC 5V / 750mA
Size: 136 * 69 * 17mm
Weight: 71g
Available colour: Black / White / Orange
RoHS / CE / FCC



For Mobile: Nokia N70, Moto V8, Moto V3, iPhone, PSP, 3.5DC USB...



Mini travel charger CP-0516
(Blue / Green / Orange)



Mini travel charger CP-0510
(Black / White)



Car charger CP-0518 / CP-0520



Portable bag